



Ultra-Pure™ List Price Sheet

For Use in Potable Water Service

UP-0718

Effective: July 2, 2018

A Milwaukee Valve Product

Revised: 09/24/2018

Suggested list prices are subject to change without notification. Visit our Website for the most up-to-date product information.

TABLE OF CONTENTS

| <u>PRODUCT NUMBER / SERIES</u> | <u>PAGE NUMBER</u> |
|--|--------------------|
| ULTRA-PURE™ BRONZE BALL VALVES | |
| UPBA-100 / UPBA-150 | 2 |
| UPBA-300 / UPBA-350 | 3 |
| UPBA-400 / UPBA-450 | 4 |
| ULTRA-PURE™ BRONZE BALL VALVE ACCESSORIES | 5 |
| ULTRA-PURE™ BRASS BALL VALVES | |
| UPBA-475B / UPBA-485B | 6 |
| ULTRA-PURE™ BRASS BALL VALVE ACCESSORIES | 7 |
| ULTRA-PURE™ GATE & GLOBE VALVES | |
| UP105 / UP115 | 8 |
| UP148 / UP149 | 8 |
| UP667 / UP668 | 8 |
| UP502 / UP1502 | 8 |
| ULTRA-PURE™ CHECK VALVES | |
| UP509 / UP1509 | 9 |
| UP548T / UP1548T | 9 |
| UP967 / UP968 | 9 |
| ULTRA-PURE™ PRESS VALVES | |
| UP105-P2 | 10 |
| UP148-P2 | 10 |
| UP502-P2 | 10 |
| UP509-P2 | 10 |
| UP548T-P2 | 10 |
| UP969 | 10 |
| UPBA-100-P2 | 10 |
| UPBA-400-P2 | 10 |
| UPBA-480B / UPBA-490B | 11 |

Visit our website for complete product details, information and terms and conditions of sale.

Milwaukee Valve Company | 16550 West Stratton Drive | New Berlin | WI | 53151

Phone: (262)432-2700

Website: www.milwaukeevalve.com



A Milwaukee Valve Product for Potable Water Service

UPBA-100 & UPBA-150 SERIES BALL VALVE
2 PIECE • BRONZE BODY • STANDARD PORT • 600 WOG
NSF/ANSI 372 & NSF/ANSI 61

| BRONZE BODY, THREADED ENDS | | |
|----------------------------|--------------------|-----------------------------|
| MODEL | UPBA-100† | UPBA-100S† |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM |
| 1/4" | 54.06 | 84.20 |
| 3/8" | 54.06 | 84.20 |
| 1/2" | 54.06 | 84.20 |
| 3/4" | 88.81 | 153.09 |
| 1" | 98.13 | 178.28 |
| 1 1/4" | 189.55 | 309.30 |
| 1 1/2" | 241.91 | 416.45 |
| 2" | 304.69 | 558.80 |
| 2 1/2" | 1,296.84 | 1,918.50 |
| 3" | 1,473.70 | 2,186.44 |

| BRONZE BODY, SOLDER ENDS | | |
|--------------------------|--------------------|-----------------------------|
| MODEL | UPBA-150† | UPBA-150S† |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM |
| 3/8" | 54.06 | 84.20 |
| 1/2" | 54.06 | 84.20 |
| 3/4" | 88.81 | 153.09 |
| 1" | 98.13 | 178.28 |
| 1 1/4" | 189.55 | 309.30 |
| 1 1/2" | 241.91 | 416.45 |
| 2" | 304.69 | 558.80 |
| 2 1/2" | 1,296.84 | 1,918.50 |
| 3" | 1,473.70 | 2,186.44 |

| BRONZE BODY, THREADED X HOSE END W/CAP AND CHAIN | | |
|---|--------------------|-----------------------------|
| MODEL | UPBA-100-H | UPBA-100S-H‡ |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM |
| 1/2" | 87.32 | 117.45 |
| 3/4" | 117.92 | 182.20 |

| BRONZE BODY, SOLDER X HOSE END W/CAP AND CHAIN | | |
|---|--------------------|-----------------------------|
| MODEL | UPBA-150-H | UPBA-150S-H‡ |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM |
| 1/2" | 87.32 | 117.45 |
| 3/4" | 117.92 | 182.20 |

†1/4" through 3/4" UPBA-100 & UPBA-400 Series products are full port and identical in these sizes.

‡NSF/ANSI 372 & NSF/ANSI 61 certification pending

For Accessories, please refer to page 5.

Note: No parts available for Ultra-Pure™ valves.



A Milwaukee Valve Product for Potable Water Service

UPBA-300 & UPBA-350 SERIES BALL VALVE
3 PIECE • BRONZE BODY • FULL PORT • 600 WOG
NSF/ANSI 372 & NSF/ANSI 61

| BRONZE BODY, THREADED ENDS | | |
|----------------------------|--------------------|-----------------------------|
| MODEL | UPBA-300 | UPBA300S |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM |
| 1/4" | 138.40 | 182.17 |
| 3/8" | 138.40 | 182.17 |
| 1/2" | 159.84 | 226.91 |
| 3/4" | 196.61 | 270.15 |
| 1" | 258.46 | 392.65 |
| 1 1/4" | 370.51 | 531.95 |
| 1 1/2" | 480.73 | 676.09 |
| 2" | 886.53 | 1,103.91 |
| 2 1/2" | 1,627.58 | 2,063.14 |
| 3" | 1,627.58 | 2,063.14 |

| BRONZE BODY, SOLDER ENDS | | |
|--------------------------|--------------------|-----------------------------|
| MODEL | UPBA-350 | UPBA-350S |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM |
| 3/8" | 138.40 | 182.17 |
| 1/2" | 159.84 | 226.91 |
| 3/4" | 196.61 | 270.15 |
| 1" | 258.46 | 392.65 |
| 1 1/4" | 370.51 | 531.95 |
| 1 1/2" | 480.73 | 676.09 |
| 2" | 886.53 | 1,103.91 |
| 2 1/2" | 1,627.58 | 2,063.14 |
| 3" | 1,627.58 | 2,063.14 |

For accessories, please refer to page 5.

Note: No parts available for Ultra-Pure™ valves.



A Milwaukee Valve Product for Potable Water Service

UPBA-400 & UPBA-450 SERIES BALL VALVE
2 PIECE • BRONZE BODY • FULL PORT • 600 WOG
NSF/ANSI 372 & NSF/ANSI 61

| BRONZE BODY, THREADED ENDS | | |
|----------------------------|--|-----------------------------|
| MODEL | UPBA-400 | UPBA-400-S |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM |
| 1/4" | —Use UPBA-100 List Price¹— | |
| 3/8" | | |
| 1/2" | | |
| 3/4" | | |
| 1" | 99.03 | 178.28 |
| 1 1/4" | 289.41 | 442.53 |
| 1 1/2" | 372.38 | 531.32 |
| 2" | 635.44 | 889.54 |

| BRONZE BODY, SOLDER ENDS | | |
|--------------------------|--|-----------------------------|
| MODEL | UPBA-450 | UPBA-450-S |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM |
| 1/2" | —Use UPBA-150 List Price¹— | |
| 3/4" | | |
| 1" | 99.03 | 178.28 |
| 1 1/4" | 289.41 | 442.53 |
| 1 1/2" | 372.38 | 531.32 |
| 2" | 635.44 | 889.54 |

¹UPBA-100 and UPBA-150 are full-port sizes 1/4" - 3/4"
 For accessories, please refer to page 5.

Note: No parts available for Ultra-Pure™ valves.



A Milwaukee Valve Product for Potable Water Service

| VALVE ACCESSORY LIST ADDERS FOR UPBA-100 & UPBA-150 SERIES | | | | | | | | | | | |
|--|----------------|-------------|-------------|---------------------|------------------------|------------|----------------|-------------------------------|--------------------|-------------------------|---|
| SUFFIX | -LD | -MS | -OH | -LO | -SH | -TH | -XH | -XM | - | -XLD | -TIH |
| SIZE | LOCKING HANDLE | MEMORY STOP | OVAL HANDLE | OVAL LOCKING HANDLE | STAINLESS STEEL HANDLE | "T" HANDLE | STEM EXTENSION | STEM EXTENSION W/ MEMORY STOP | CHAIN LEVER HANDLE | LOCKABLE STEM EXTENSION | THERMAL INSULATOR HANDLE W/ MEMORY STOP |
| 1/4"† | 13.75 | 5.80 | 19.11 | 58.39 | 11.59 | 17.40 | 16.42 | 46.76 | 20.33 | 69.85 | 44.70 |
| 3/8" | 13.75 | 5.80 | 19.11 | 58.39 | 11.59 | 17.40 | 16.42 | 46.76 | 20.33 | 69.85 | 44.70 |
| 1/2" | 13.75 | 5.80 | 19.11 | 58.39 | 11.59 | 17.40 | 16.42 | 46.76 | 20.33 | 69.85 | 44.70 |
| 3/4" | 18.33 | 5.80 | 23.18 | 62.83 | 16.01 | 21.65 | 16.42 | 46.76 | 22.21 | 82.44 | 44.70 |
| 1" | 18.33 | 5.80 | 23.18 | 62.83 | 16.01 | 21.65 | 16.42 | 46.76 | 22.21 | 82.44 | 44.70 |
| 1 1/4" | 27.62 | 5.80 | 41.53 | | 23.15 | 38.65 | 29.00 | 56.08 | 43.49 | 108.98 | 64.27 |
| 1 1/2" | 27.62 | 5.80 | 41.53 | | 23.15 | 38.65 | 29.00 | 56.08 | 43.49 | 108.98 | 64.27 |
| 2" | 27.62 | 5.80 | 41.53 | | 33.49 | 38.65 | 29.00 | 56.08 | 46.81 | 108.98 | 64.27 |
| 2 1/2" | 27.62 | 5.80 | | | 33.49 | | 29.00 | 56.08 | 46.81 | | |
| 3" | 27.62 | 5.80 | | | 33.49 | | 29.00 | 56.08 | 46.81 | | |

| VALVE ACCESSORY LIST ADDERS FOR UPBA-300 & UPBA-350 SERIES | | | | | | | | | | | |
|--|----------------|-------------|-------------|---------------------|------------------------|-------------------|------------------------------|--------------------|-------------------------|---|--|
| SUFFIX | -LD | -MS | -OH | -LO | -SH | -XH | -XM | - | -XLD | -TIH | |
| SIZE | LOCKING HANDLE | MEMORY STOP | OVAL HANDLE | OVAL LOCKING HANDLE | STAINLESS STEEL HANDLE | XH STEM EXTENSION | STEM EXTENSION W/MEMORY STOP | CHAIN LEVER HANDLE | LOCKABLE STEM EXTENSION | THERMAL INSULATOR HANDLE W/ MEMORY STOP | |
| 1/4"† | 13.75 | 5.80 | 19.11 | 58.39 | 11.58 | 16.42 | 46.76 | 20.33 | 69.85 | 46.46 | |
| 3/8"† | 13.75 | 5.80 | 19.11 | 58.39 | 11.58 | 16.42 | 46.76 | 20.33 | 69.85 | 46.46 | |
| 1/2" | 13.75 | 5.80 | 19.11 | 58.39 | 11.58 | 16.42 | 46.76 | 20.33 | 69.85 | 46.46 | |
| 3/4" | 18.33 | 5.80 | 23.18 | 62.83 | 16.00 | 16.42 | 46.76 | 22.21 | 82.44 | 46.46 | |
| 1" | 27.62 | 5.80 | 41.53 | 62.83 | 23.15 | 29.00 | 56.08 | 43.50 | 108.98 | 67.70 | |
| 1 1/4" | 27.62 | 5.80 | 41.53 | | 23.15 | 29.00 | 56.08 | 43.49 | 108.98 | 67.70 | |
| 1 1/2" | 27.62 | 5.80 | 41.53 | | 23.15 | 29.00 | 56.08 | 43.49 | 108.98 | 67.70 | |
| 2" | 27.62 | 5.80 | | | 33.49 | 29.00 | 63.80 | 46.81 | 142.51 | 67.70 | |

| VALVE ACCESSORY LIST ADDERS FOR UPBA-400 & UPBA-450 SERIES | | | | | | | | | | | |
|--|----------------|-------------|-------------|---------------------|------------------------|------------|----------------|------------------------------|-------------------------|--------------------|---|
| SUFFIX | -LD | -MS | -OH | -LO | -SH | -TH | -XH | -XM | -XLD | - | -TIH |
| SIZE | LOCKING HANDLE | MEMORY STOP | OVAL HANDLE | OVAL LOCKING HANDLE | STAINLESS STEEL HANDLE | "T" HANDLE | STEM EXTENSION | STEM EXTENSION W/MEMORY STOP | LOCKABLE STEM EXTENSION | CHAIN LEVER HANDLE | THERMAL INSULATOR HANDLE W/ MEMORY STOP |
| 1/4"† | 13.75 | 5.80 | 19.11 | 58.39 | 11.59 | 17.40 | 16.42 | 46.76 | 69.85 | 20.33 | 44.70 |
| 3/8"† | 13.75 | 5.80 | 19.11 | 58.39 | 11.59 | 17.40 | 16.42 | 46.76 | 69.85 | 20.33 | 44.70 |
| 1/2" | 13.75 | 5.80 | 19.11 | 58.39 | 11.59 | 17.40 | 16.42 | 46.76 | 69.85 | 20.33 | 44.70 |
| 3/4" | 18.33 | 5.80 | 23.18 | 62.83 | 16.01 | 21.65 | 16.42 | 46.76 | 69.85 | 22.21 | 44.70 |
| 1" | 27.62 | 5.80 | 41.53 | 62.83 | 23.15 | 38.65 | 29.00 | 56.08 | 108.98 | 43.49 | 64.27 |
| 1 1/4" | 27.62 | 5.80 | 41.53 | | 23.15 | 38.65 | 29.00 | 56.08 | 108.98 | 43.49 | 64.27 |
| 1 1/2" | 27.62 | 5.80 | 41.53 | | 23.15 | 38.65 | 29.00 | 56.08 | 108.98 | 43.49 | 64.27 |
| 2" | 27.62 | 5.80 | | | 33.49 | | 29.00 | 63.80 | 142.51 | 46.81 | 64.27 |

†Available for threaded end only.



A Milwaukee Valve Product for Potable Water Service

UPBA-475B & UPBA-485B SERIES BALL VALVE
2 PIECE • FULL PORT • BRASS BODY
NSF/ANSI 372 & NSF/ANSI 61
600 WOG (SIZES 1/4" - 2"), 400 WOG (SIZES 2-1/2" & 3")†

| BRASS BODY, THREADED ENDS | |
|---------------------------|--------------------|
| MODEL | UPBA475B |
| SIZE | Chrome Plated Ball |
| 1/4" | 52.18 |
| 3/8" | 52.18 |
| 1/2" | 52.18 |
| 3/4" | 72.67 |
| 1" | 122.89 |
| 1 1/4" | 197.13 |
| 1 1/2" | 247.73 |
| 2" | 339.44 |
| 2 1/2"† | 1,316.24 |
| 3"† | 1,929.28 |

| BRASS BODY, SOLDERED ENDS | |
|---------------------------|--------------------|
| MODEL | UPBA485B |
| SIZE | Chrome Plated Ball |
| | |
| 1/2" | 52.18 |
| 3/4" | 72.67 |
| 1" | 122.89 |
| 1 1/4" | 197.13 |
| 1 1/2" | 247.73 |
| 2" | 339.44 |
| 2 1/2"† | 1,316.24 |
| 3"† | 1,929.28 |

For accessories, please refer to page 7.

Note: No parts available for Ultra-Pure™ valves.



A Milwaukee Valve Product for Potable Water Service

ULTRA-PURE™ BRASS BALL VALVE ACCESSORY LIST ADDERS

VALVE ACCESSORY LIST ADDERS FOR UPBA-475B & UPBA-485B SERIES

| SUFFIX | -MS | -TH | -XH | -LL | -TIH |
|---------------------|-------------|----------|------------------------------------|----------------|--|
| SIZE | MEMORY STOP | T-HANDLE | XH STEM EXTENSION WITH MEMORY STOP | LOCKING HANDLE | THERMAL INSULATOR HANDLE W/MEMORY STOP |
| 1/4"†, 3/8"† & 1/2" | 7.16 | 8.63 | 22.22 | 17.24 | 46.09 |
| 3/4" - 1" | 7.66 | 8.63 | 27.15 | 23.06 | 46.09 |
| 1 1/4 - 1 1/2" | 7.66 | 8.63 | 27.15 | 34.58 | 66.25 |
| 2" | 9.59 | 8.63 | 37.04 | 45.41 | 66.25 |
| 2-1/2" | 9.59 | | 71.58 | 45.41 | |
| 3" | 9.59 | | 71.58 | 45.41 | |

VALVE ACCESSORY LIST ADDERS FOR UPBA-480 & UPBA-490 SERIES

| SUFFIX | -MS | -TH | -XH | -LL | -TIH |
|-----------------|-------------|----------|-------------------------------|----------------|---|
| SIZE | MEMORY STOP | T-HANDLE | STEM EXTENSION W/ MEMORY STOP | LOCKING HANDLE | THERMAL INSULATOR HANDLE W/ MEMORY STOP |
| 1/2" | 7.16 | 8.63 | 22.22 | 17.24 | 46.09 |
| 3/4" - 1" | 7.16 | 8.63 | 27.15 | 23.06 | 46.09 |
| 1 1/4" - 1-1/2" | 7.66 | 8.63 | 27.15 | 34.58 | 66.25 |
| 2" | 9.59 | 8.63 | 37.04 | 45.41 | 66.25 |
| 2-1/2" | 9.59 | | 71.58 | 45.41 | |
| 3" | 9.59 | | 71.58 | 45.41 | |

†Available for threaded end only.



A Milwaukee Valve Product for Potable Water Service

**BRONZE AND BRASS GATE VALVES
NSF/ANSI 372 & NSF/ANSI 61**

| SIZE | UP105 | UP115 | UP148 | UP149 | UP667 | UP668 |
|--------|--|--|--|--|---|---|
| | BRONZE BODY, NON-RISING STEM, THREADED BONNET, THREADED ENDS 300 WOG | BRONZE BODY, NON-RISING STEM, THREADED BONNET, SOLDER ENDS 300 WOG | BRONZE BODY, RISING STEM, THREADED BONNET, THREADED ENDS 300 WOG | BRONZE BODY, RISING STEM, THREADED BONNET, SOLDER ENDS 300 WOG | BRASS BODY, NON-RISING STEM, THREADED BONNET, THREADED ENDS 200 WOG | BRASS BODY, NON-RISING STEM, THREADED BONNET, SOLDER ENDS 200 WOG |
| 1/4" | 213.20 | | 228.45 | | 66.26 | |
| 3/8" | 213.20 | 213.20 | 228.45 | 233.43 | 66.26 | 66.25 |
| 1/2" | 187.82 | 187.82 | 202.98 | 208.08 | 59.06 | 59.06 |
| 3/4" | 228.45 | 228.45 | 253.78 | 258.85 | 77.77 | 77.77 |
| 1" | 289.29 | 309.61 | 340.04 | 340.04 | 106.58 | 106.58 |
| 1 1/4" | 441.63 | 466.99 | 487.27 | 543.10 | 154.11 | 154.11 |
| 1 1/2" | 512.62 | 527.89 | 583.68 | 609.06 | 195.89 | 195.89 |
| 2" | 669.96 | 730.88 | 730.88 | 842.62 | 298.14 | 298.14 |
| 2 1/2" | 1,751.14 | | | | | |
| 3" | 2,136.94 | | | | | |

**BRONZE GLOBE VALVES
NSF/ANSI 372 & NSF/ANSI 61**

| SIZE | UP502 | UP1502 |
|--------|--|--|
| | BRONZE BODY, THREADED BONNET, THREADED ENDS 300 WOG | BRONZE BODY, THREADED BONNET, SOLDER ENDS 300 WOG |
| 1/8" | 324.77 | |
| 1/4" | 324.77 | |
| 3/8" | 324.77 | 335.02 |
| 1/2" | 324.77 | 335.02 |
| 3/4" | 400.98 | 441.63 |
| 1" | 538.05 | 609.06 |
| 1 1/4" | 710.61 | 781.69 |
| 1 1/2" | 928.83 | 1,025.28 |
| 2" | 1,411.02 | 1,542.98 |

Note: No parts available for Ultra-Pure™ valves.



A Milwaukee Valve Product for Potable Water Service

BRONZE AND BRASS CHECK VALVES
NSF/ANSI 372 & NSF/ANSI 61

| | UP509 ¹ | UP1509 ² | UP548T | UP1548T | UP967 ³ | UP968 ³ |
|--------|---|---|---|---|---|---|
| SIZE | BRONZE BODY, BRONZE DISC, HORIZ. SWING, THREADED ENDS 300 WOG | BRONZE BODY, BRONZE DISC, HORIZ. SWING, SOLDER ENDS 300 WOG | BRONZE BODY, PTFE DISC, IN-LINE SPRING LOADED LIFT, THREADED ENDS 250 WOG | BRONZE BODY, PTFE DISC, IN-LINE SPRING LOADED LIFT, SOLDER ENDS 250 WOG | BRASS BODY, BRASS DISC, HORIZ. SWING, THREADED ENDS 200 WOG | BRASS BODY, BRASS DISC, HORIZ. SWING, SOLDER ENDS 200 WOG |
| 1/4" | 253.78 | | | | | |
| 3/8" | 253.78 | 263.93 | 137.04 | 137.04 | 59.06 | |
| 1/2" | 253.78 | 263.93 | 137.04 | 137.04 | 59.06 | 59.06 |
| 3/4" | 299.46 | 355.30 | 182.69 | 182.69 | 74.91 | 74.91 |
| 1" | 400.98 | 522.75 | 248.75 | 248.75 | 105.14 | 105.14 |
| 1 1/4" | 558.29 | 741.03 | 309.61 | 309.61 | 151.24 | 151.24 |
| 1 1/2" | 669.96 | 867.95 | 406.08 | 406.08 | 208.85 | 208.85 |
| 2" | 969.45 | 1,273.95 | 583.68 | 583.68 | 322.64 | 322.64 |
| 2 1/2" | 2,304.33 | 2,644.40 | | | 625.44 | 625.44 |
| 3" | 3,420.93 | 3,705.25 | | | 842.80 | 842.80 |

Note: No parts available for Ultra-Pure™ valves.

¹2-1/2" & 3" UP509 NSF/ANSI 372 ONLY

²1-1/4" - 3" UP1509 NSF/ANSI 372 ONLY

³2-1/2" & 3" UP967 & UP968 NSF/ANSI 372 ONLY



A Milwaukee Valve Product for Potable Water Service

PRESS-END BRONZE AND BRASS VALVES

| GATE VALVES | | | GLOBE VALVE | CHECK VALVES | | |
|-------------|--|--|--|---|--|---|
| MODEL | UP105-P2 ³ | UP148 -P2 ³ | UP502-P2 ³ | UP509-P2 ³ | UP548T-P2 ³ | UP969 ² |
| | BRONZE BODY, NON-RISING STEM, THREADED BONNET, PRESS x PRESS 200 PSIG @ 250° F | BRONZE BODY, RISING STEM, THREADED BONNET, PRESS x PRESS 200 PSIG @ 250° F | BRONZE BODY, RISING STEM, THREADED BONNET, PRESS x PRESS 200 PSIG @ 250° F | BRONZE BODY, BRONZE DISC, HORIZ. SWING, PRESS x PRESS 200 PSIG @ 250° F | BRONZE BODY, PTFE DISC, IN-LINE SPRING LOADED LIFT PRESS x PRESS 200 PSIG @ 250° F | BRASS BODY, BRASS DISC, HORIZ. SWING, INTEGRAL PRESS ENDS 200 PSIG @ 250° F |
| SIZE | | | | | | |
| 1/2" | 202.37 | 217.53 | 339.32 | 268.33 | 151.59 | 86.42 |
| 3/4" | 251.64 | 276.97 | 424.17 | 322.65 | 205.88 | 118.11 |
| 1" | 339.88 | 390.62 | 588.64 | 451.57 | 299.33 | 164.20 |
| 1 1/4" | 541.65 | 587.29 | 810.64 | 658.32 | 409.64 | 319.75 |
| 1 1/2" | 626.66 | 697.72 | 1,042.87 | 784.00 | 520.12 | 419.14 |
| 2" | 836.44 | 897.36 | 1,577.51 | 1,135.93 | 750.17 | 640.95 |
| 2 1/2" | | | | 3,922.87 | | |
| 3" | | | | 5,142.87 | | |

PRESS BRONZE BALL VALVES

| STANDARD PORT | | | FULL PORT | |
|-------------------|--|--|--|--|
| MODEL | UPBA-100-P2 ^{1 4} | UPBA-100S-P2 ^{1 4} | UPBA-400-P2 ⁴ | UPBA-400S-P2 ⁴ |
| | BRONZE BODY, CHROME PLATED BRASS BALL, PRESS x PRESS 200 PSIG @ 250° F | BRONZE BODY, STAINLESS BALL / STEM SOLDER ENDS PRESS x PRESS 200 PSIG @ 250° F | BRONZE BODY, CHROME PLATED BRASS BALL, PRESS x PRESS 200 PSIG @ 250° F | BRONZE BODY, STAINLESS BALL / STEM SOLDER ENDS PRESS x PRESS 200 PSIG @ 250° F |
| SIZE | | | | |
| 1/2" [†] | 68.61 | 98.75 | — USE UPBA-100-P2 — | |
| 3/4" [†] | 112.00 | 176.28 | | |
| 1" | 148.71 | 228.87 | 149.61 | 228.87 |
| 1 1/4" | 289.57 | 409.32 | 389.44 | 542.55 |
| 1 1/2" | 355.95 | 530.49 | 486.42 | 645.36 |
| 2" | 471.18 | 725.28 | 801.92 | 1,056.03 |
| 2-1/2" | 2,553.66 | 2,927.99 | | |
| 3" | 3,036.87 | 3,654.66 | | |

¹UPBA-100-P2 are full-port (1/2" & 3/4")

²NSF/ANSI 372 & NSF/ANSI 61

³Valves and "P2" Press End Adaptors are individually Certified by IAPMO to NSF/ANSI 372 & NSF/ANSI 61

⁴Valves and "P2" Press End Adaptors are individually Certified by IAPMO to NSF/ANSI 372

[IAPMO Research and Testing, Inc Certificate of Listing NSF/ANSI 372](#)

[IAPMO Research and Testing, Inc Certificate of Listing NSF/ANSI 61](#)

Additional Notes:

No parts available for Ultra-Pure™ valves.

Bronze Ball Valve Accessories, please refer to page 5.



A Milwaukee Valve Product for Potable Water Service

UPBA-480B & UPBA-490 SERIES BALL VALVE
2 PIECE • BRASS BODY • FULL PORT
INTEGRAL PRESS ENDS • NSF/ANSI 372 & NSF/ANSI 61
200 PSIG @ 250° F

| PRESS X PRESS END | | | | |
|-------------------|--------------------|-----------------------------|--------------------------------------|---|
| MODEL | UPBA-480B | UPBA-480S | UPBA-481B | UPBA-481S |
| Size | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM | CHROME PLATED BALL W/ STEM EXTENSION | STAINLESS STEEL BALL & STEM W/ STEM EXTENSION |
| 1/2" | 53.30 | 74.63 | 75.47 | 101.63 |
| 3/4" | 79.22 | 125.51 | 106.37 | 176.68 |
| 1" | 118.11 | 174.42 | 145.26 | 222.19 |
| 1 1/4" | 241.98 | 351.51 | 269.12 | 415.74 |
| 1 1/2" | 322.64 | 475.78 | 349.78 | 522.24 |
| 2" | 554.29 | 738.57 | 591.56 | 793.66 |
| 2 1/2" | 1,385.07 | | 1,456.65 | |
| 3" | 1,780.04 | | 1,851.62 | |
| 4" | 2,469.56 | | | |

| PRESS X THREADED END | | | | |
|----------------------|--------------------|-----------------------------|--------------------------------------|---|
| MODEL | UPBA-490B | UPBA-490S | UPBA-491B | UPBA-491S |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM | CHROME PLATED BALL W/ STEM EXTENSION | STAINLESS STEEL BALL & STEM W/ STEM EXTENSION |
| 1/2" | 47.54 | 68.87 | 69.71 | 91.05 |
| 3/4" | 73.45 | 119.74 | 100.61 | 146.89 |
| 1" | 106.58 | 162.90 | 133.74 | 190.05 |
| 1 1/4" | 217.49 | 327.03 | 244.64 | 354.18 |
| 1 1/2" | 289.52 | 442.64 | 316.66 | 469.80 |
| 2" | 498.36 | 682.40 | 535.37 | 719.41 |

| PRESS X HOSE END | | | |
|------------------|--------------------|-----------------------------|---------------------------------------|
| MODEL | UPBA-480B-H | UPBA-480S-H | UPBA-481B-H |
| SIZE | CHROME PLATED BALL | STAINLESS STEEL BALL & STEM | CHROME PLATED BALL, W/ STEM EXTENSION |
| 1/2" | 83.54 | 115.23 | 105.14 |
| 3/4" | 110.91 | 179.75 | 138.27 |

For accessories, please refer to page 7.

Note: No parts available for Ultra-Pure™ valves.