UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS N	AME: Milwaukee Value Co	ompany also DBA Hammond	Mala
MANUFACTURERS A	DDRESS: 1050 West Ct	mpany also DBA Hammond	Valve
PLANT LOCATIONS:	See Attached List	atton Drive, New Berlin, WI 53	3151 USA
CATEGORY	OF FITTINGS TO BE DECUSTEDE	D. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including	og couplings, teas, elbows, Ya, plug-	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
THE PROPERTY AND THE PROPERTY.		a, unions, pipe caps, or reducers	-
C Valves: all line valve			See "Summary of Products"
E Strainers filters see	xible connections, and hose assemi wraters, and steam traps	blies: all types	
 F Messuring devices, i 	ncluding pressure gauges, level gat	uons sight plannes levels or	
Pudebnich Neismilkmeil			
bollers pressure un	ted pressure relief devices acceptates ssels, piping and fusible pluge	ble as primary over pressure protection on	
H Pressure retaining or	omponents that do not fall into one o	of the shave esterories	
N Nuclear components	: Class 1 D Class 2 D Class 3 D	J. (Meeting AECB or ASME requirements)	
SHOW MANUFACTURE	RS NAME TRADEMARK OR LO	GO AS IT WILL APPEAR ON THE PRODU	
	- 6	SO AS IT VILLE AFFEAR ON THE PRODE	
	- CO CO	U	FORGED CI WELDER CI WROLIGHT CI CAST OF OTHER CI DESCRIBE OTHER:
	The second		DESCRIBE OTHER:
		V	
I IPT OF OUR DESIGNATION		*	
LIST OF SUPPORTING	DOCUMENTATION AND IDENTIF	ICATION OF THE ACTUAL ITEMS TO BE	REGISTERED:
A dellar - e e	rufacturing site only		+ · · · · · · · · · · · · · · · · · · ·
· iceliani oi mai	iordotaining after ormy		
			ľ
			1
COLATIANION.			
ECLARATION: Tim Narel	ceee note 3) employed	d by Milwaukee Valve Co. and	being the person having full authority and
Tim Narel			being the person having full authority and sined in this form is true and to the best of
Tim Narel sponsibility for the qu y knowledge represent	nts the product for which registre	ation is sought. The dimensions, mate	alned in this form is true and to the best of mals of construction, pressure
Tim Narel sponsibility for the qu y knowledge represen mperature ratings, an	nts the product for which registra id identification markings are in	ation is sought. The dimensions, mate accordance with the berein named sta	sined in this form is true and to the best of inals of construction, pressure
Tim Narel sponsibility for the qu y knowledge represen mperature ratings, an	nts the product for which registra id identification markings are in	ation is sought. The dimensions, mate accordance with the berein named sta	sined in this form is true and to the best of inals of construction, pressure
Tim Narel sponsibility for the qu y knowledge represen mperature ratings, an	nts the product for which registra id identification markings are in	ation is sought. The dimensions, mate accordance with the berein named sta	sined in this form is true and to the best of inals of construction, pressure
Tim Narel sponsibility for the quy knowledge represent sperature ratings, and	nts the product for which registra id identification markings are in	ation is sought. The dimensions, mate accordance with the berein named sta	sined in this form is true and to the best of inals of construction, pressure
Tim Narel sponsibility for the qu y knowledge represen mperature ratings, an	nts the product for which registra id identification markings are in	ation is sought. The dimensions, mate ston is sought. The dimensions, mate secondance with the herein named six Control Program which extends to each uality. Assurance as being suitable for knowing that it is of the same force and	ained in this form is true and to the best of males of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole if that purpose and I make this solemn deflections of the purpose and I make this solemn deflections.
Tim Narel sponsibility for the quy knowledge represent sperature ratings, and	nts the product for which registra id identification markings are in	ation is sought. The dimensions, mate ston is sought. The dimensions, mate secondance with the herein named six Control Program which extends to each uality. Assurance as being suitable for knowing that it is of the same force and	ained in this form is true and to the best of males of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole if that purpose and I make this solemn deflections of the purpose and I make this solemn deflections.
Tim Narel sponsibility for the que knowledge represent meratings, an anufacture of these fi in part and has been claration consciention gnature of Declarer: edered before me at	nts the product for which registrated identification markings are in titings is regulated by a Quality (invertiged by Lloyds Register Quality believing it to be true, and in the true, and in the true, and in the true, and in the true.	ation is sought. The dimensions, mate ston is sought. The dimensions, mate secondance with the herein named six Control Program which extends to each uality. Assurance as being suitable for knowing that it is of the same force and	ained in this form is true and to the best of males of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole if that purpose and I make this solemn deflections of the purpose and I make this solemn deflections.
Tim Narel sponsibility for the que y knowledge represent represent reatings, and anufacture of these fit in part and has been claration consciention gnature of Declarer: rectared before me at is	nts the product for which registrated identification markings are in things is regulated by a Quality (vertised by Lloyds Register Quality believing it to be true, and in this particular of February AD Z	ation is sought. The dimensions, mate ston is sought. The dimensions, mate secondance with the herein named six Control Program which extends to each uality. Assurance as being suitable for knowing that it is of the same force and	ained in this form is true and to the best of males of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole if that purpose and I make this solemn deflections of the purpose and I make this solemn deflections.
Tim Narel sponsibility for the que knowledge represent mperature ratings, am anufacture of these fi in part and has been claration consciention gnature of Declarer: clared before me at isday mmissioner of Oath	ints the product for which registrated identification markings are in titings is regulated by a Quality (vertised by Lloyds Register Quality believing it to be true, and in the product of the product o	ation is sought. The dimensions, mate ston is sought. The dimensions, mate secondance with the herein named six Control Program which extends to each uality. Assurance as being suitable for knowing that it is of the same force and	ained in this form is true and to the best of males of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole if that purpose and I make this solemn deflections of the purpose and I make this solemn deflections.
Tim Narel sponsibility for the que knowledge represent mperature ratings, am anufacture of these fi in part and has been claration consciention gnature of Declarer: clared before me at isday mmissioner of Oath	ints the product for which registrated identification markings are in titings is regulated by a Quality (invertised by Lloyds Register Quality believing it to be true, and in the product of Figure Value Company of Figure Value Company AD Z	ation is sought. The dimensions, mate ston is sought. The dimensions, mate secondance with the herein named six Control Program which extends to each uality. Assurance as being suitable for knowing that it is of the same force and	ained in this form is true and to the best of males of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole if that purpose and I make this solemn deflections of the purpose and I make this solemn deflections.
Tim Narel sponsibility for the que knowledge represent mperature ratings, am anufacture of these fi in part and has been claration consciention gnature of Declarer: clared before me at isday mmissioner of Oath	Ints the product for which registrated identification markings are in things is regulated by a Quality of vertified by Lloyds Register Quality believing it to be true, and in this particle. Yet we compare the following it is to be true, and in the following it is to be true.	ation is sought. The dimensions, mate ston is sought. The dimensions, mate secondance with the herein named six Control Program which extends to each uality. Assurance as being suitable for knowing that it is of the same force and	ained in this form is true and to the best of males of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole if that purpose and I make this solemn deflections of the purpose and I make this solemn deflections.
Tim Narel sponsibility for the que knowledge represent mperature ratings, am anufacture of these fi in part and has been claration consciention gnature of Declarer: clared before me at isday mmissioner of Oath	Ints the product for which registrated identification markings are in things is regulated by a Quality (verified by Lloyds Register Quality believing it to be true, and in this section of FEBRUARY AD Z	ation is sought. The dimensions, male sucordance with the herein named state control Program which extends to each uality Assurance as being suitable for knowing that it is of the same force and STATE OF WILLIAM STATE OF WILLIA	sined in this form is true and to the best of missis of construction, pressure indends. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect reactive under oath. S P ACE F R T H E
Tim Narel sponsibility for the qu y knowledge represent mperature ratings, an anufacture of these fi in part and has been claration conscientio gnature of Declarer: clared before me at its	Ints the product for which registrated identification markings are in things is regulated by a Quality (verified by Lloyds Register Quality believing it to be true, and in this section of FEBRUARY AD Z	ation is sought. The dimensions, male sucordance with the herein named state control Program which extends to each uality Assurance as being suitable for knowing that it is of the same force and STATE OF WILLIAM STATE OF WILLIA	sined in this form is true and to the best of missis of construction, pressure indends. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect reactive under oath. S P ACE F R T H E
Tim Narel sponsibility for the quy knowledge represent the ratings, an anufacture of these fit in part and has been cleration consciention gnature of Declarer; ectared before me at its	Ints the product for which registrated identification markings are in things is regulated by a Quality of vertified by Lloyds Register Quality believing it to be true, and in this section of FEBRUAGUS AD ZONE AND AND This registration must be revaluated as a contract of the registration must be revaluated.	ation is sought. The dimensions, male sucordance with the herein named state control Program which extends to each uality Assurance as being suitable for knowing that it is of the same force and STATE OF WILLIAM STATE OF WILLIA	sined in this form is true and to the best of missis of construction, pressure indends. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect reactive under oath. S P ACE F R T H E
Tim Narel sponsibility for the queximity for the	Ints the product for which registrated identification markings are in things is regulated by a Quality of vertified by Lloyds Register Quality believing it to be true, and in this section of FEBRUAGUS AD ZONE AND AND This registration must be revaluated as a contract of the registration must be revaluated.	ation is sought. The dimensions, male sucordance with the herein named state control Program which extends to each uality Assurance as being suitable for knowing that it is of the same force and STATE OF WILLIAM STATE OF WILLIA	sined in this form is true and to the best of missis of construction, pressure inderds. I further declare that the in plant where fabrication occurs in whole it that purpose and I make this solemn deflect each trade under oath. SPACE FOR THE
Tim Narel sponsibility for the quy knowledge represent programmer artings, am anufacture of these firing part and has been claration consciention gnature of Declarer: edered before me at its	Ints the product for which registrated identification markings are in things is regulated by a Quality of vertified by Lloyds Register Quality believing it to be true, and in this section of FEBRUAGUS AD ZONE AND AND This registration must be revaluated as a contract of the registration must be revaluated.	ation is sought. The dimensions, mate accordance with the herein named star. Control Program which extends to each utility Assurance as being suitable for knowing that it is of the same force and STATE OF WILLIAM U.S.E.T. A.C. STATE OF WILLIAM DESCRIPTION OF THE STATE OF TH	ined in this form is true and to the best of misls of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect and true under oath. SPACE FOR THE
Tim Narel sponsibility for the question knowledge representation representation of these firms and has been claration consciention gnature of Declarer; octared before me at its	Ints the product for which registrated identification markings are in things is regulated by a Quality of verified by Lloyds Register Quality of verified by Lloyds Register Quality believing it to be true, and if the product of FEBRUARY AD ZEROMENTAL AND	ation is sought. The dimensions, mate accordance with the herein named state control Program which extends to each utility Assurance as being suitable for knowing that it is of the same force and STATE OF WILLIAM U.S.E.T. A.C. A.C. A.C. A.C. A.C. A.C. A.C. A	and to the best of miss frue and to the best of miss of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect and trade under oath. S P A C E F R T H E
Tim Narel sponsibility for the quy knowledge represent year the part and has been claration consciention gnature of Declarer: ectared before me at its	Ints the product for which registrated identification markings are in things is regulated by a Quality (invertised by Lloyds Register Quality believing it to be true, and is the product of February AD Zelector (Affix Official seat to the right This registration must be revalled to the part of	ation is sought. The dimensions, mate accordance with the herein named star Control Program which extends to each utility Assurance as being suitable for knowing that it is of the same force and STATE OF WARDEN OF THE CONTROL OF TH	ined in this form is true and to the best of misls of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect and true under oath. SPACE FOR THE
Tim Narel sponsibility for the quy knowledge represent the part of these first part and has been clearation consciention gnature of Declarer: ectared before me at the part of the part of Declarer: ectared before me at the part of Declarer of Oath Notary Public: (sign) CRN: 0C19355 15608 ddition scope: The yall or some of the yall or properties.	Ints the product for which registrated identification markings are in things is regulated by a Quality (invertised by Lloyds Register Quality believing it to be true, and is the product of February AD Zelector (Affix Official seat to the right This registration must be revalled to the part of	ation is sought. The dimensions, mate accordance with the herein named star Control Program which extends to each utility Assurance as being suitable for knowing that it is of the same force and STATE OF WARDEN OF THE CONTROL OF TH	ined in this form is true and to the best of males of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect easy true under oath. SPACE FRITHE
Tim Narel sponsibility for the quey knowledge represent the representation of these first part and has been claration consciention gnature of Declarer; ectared before me at the second process of Catherent C	This registration must be revaluated to manufacturing site revaluation of the seal to me right the seal to me revaluate the seal to me right the seal to me	ation is sought. The dimensions, mate accordance with the herein named state control Program which extends to each stality Assurance as being suitable for knowing that it is of the same force and STATE OF WARD AND AND AND AND AND AND AND AND AND AN	ined in this form is true and to the best of miss of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect each made under oath. SPACE FRIHE I CONTINUE TO FWA UKE
Tim Narel sponsibility for the quy knowledge represent ye represent the part and has been clearation consciention gnature of Declarer: ectared before me at the part and has been clearation consciention gnature of Declarer: ectared before me at the part and part an	Ints the product for which registrated it dentification markings are in things is regulated by a Quality (verified by Llovds Register Quality (verified by Llovds Register Quality believing it to be true, and if the product of FEBRUARY AD Zurant And Zura	ation is sought. The dimensions, mate accordance with the herein named state control Program which extends to each stality Assurance as being suitable for knowing that it is of the same force and STATE OF WARD AND AND AND AND AND AND AND AND AND AN	ined in this form is true and to the best of males of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect easy true under oath. SPACE FRITHE
Tim Narel sponsibility for the quexisty knowledge representation representation and an arrandature of these firms and has been a cleration consciention gnature of Declarer: ectered before me at the second second day of the Notary Public: (sign) CRN: 0C1.9355 15608 IDM: 15608 IDM: CNNC All fittings shall be regulated and one copy of sums an	This registration must be revaluated by the product for which registrated identification markings are in things is regulated by a Quality of verified by Lloyds Register Quality of verified by Lloyds Register Quality believing it to be true, and if the product of the product o	ation is sought. The dimensions, mate accordance with the herein named star. Control Program which extends to each utility Assurance as being suitable for knowing that it is of the same force and starting that it is of the same force and STATE OF WILLIAM OF THE OF T	ined in this form is true and to the best of miss of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect and true under oath. S P A C E F R T H E F C R T H E F
Tim Narel sponsibility for the quy knowledge represent me ratings, and an unfacture of these fit in part and has been eclaration consciention gnature of Declarer; eclared before me at the second second consciention of Cathern Public: (sign) CRN: 0C1.9355 15608 CRN: 0C1.9355 Al 5608 CRN: 15608 CRN: 15608 CRN: 15608 The declaration shall be regulated to call the consciention of the valuates of the cathern shall be sponsibility for the quality sponsibility for the quality sponsibility for the quality second cathern shall be sponsibility for the quality sponsibility sponsibility for the quality sponsibility for the quality sponsibility sponsibi	Ints the product for which registrated identification markings are in things is regulated by a Quality (verified by Lloyds Register Quality (verified by Lloyds Register Quality believing it to be true, and is presented by the product of the figure of the	and the state the information contains attention is sought. The dimensions, mate accordance with the herein named state control Program which extends to each utility. Assurance as being suitable for knowing that it is of the same force and state of the s	and in this form is true and to the best of miss of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect and true under oath. S P ACE F R T H E F C R
Tim Narel sponsibility for the quy knowledge represent ye represent the part and has been related to consciention and the part and has been related before me at the part and part and has been rectared before me at the part and p	Ints the product for which registrated identification markings are in things is regulated by a Quality (verified by Llovds Register Quality (verified by Llovds Register Quality (verified by Llovds Register Quality believing it to be true, and if the product of FEBRUARY AD Zurification for the set of the right was a construction of the manufacturing site (very large of the manufacturing site (very large of the manufacturing site of the manufacturing site (very large of the manufacturing site of the manufacturing site of the supporting documentation.	and the state the information contains attention is sought. The dimensions, mate accordance with the herein named state control Program which extends to each utility. Assurance as being suitable for knowing that it is of the same force and state of the s	and in this form is true and to the best of miss of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect and true under oath. S P ACE F R T H E F C R
Tim Narel sponsibility for the quy knowledge represent me ratings, and anufacture of these firing part and has been cleration consciention gnature of Declarer: ectared before me at a sis	Ints the product for which registrated identification markings are in things is regulated by a Quality (verified by Llovds Register Quality (verified by Llovds Register Quality (verified by Llovds Register Quality believing it to be true, and if the product of FEBRUARY AD Zurification for the set of the right was a construction of the manufacturing site (very large of the manufacturing site (very large of the manufacturing site of the manufacturing site (very large of the manufacturing site of the manufacturing site of the supporting documentation.	and the state the information contains attention is sought. The dimensions, mate accordance with the herein named state control Program which extends to each utility. Assurance as being suitable for knowing that it is of the same force and state of the s	ined in this form is true and to the best of miss of construction, pressure inderes. I further declare that the in plant where fabrication occurs in whole in that purpose and I make this solemn deflect and true under oath. S P A C E F R T H E F C R T H E F

THIS IS PART OF CRN

0C19355.5ADD1

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

Summary of Products from Milwaukee Valve Company Also DBA Hammond Valve Submitted for CRN

The Table Below summarizes Milwaukee Valve Company Products being submitted for Canadian Registration Numbers to TSSA. Products are grouped together by valve type. Figure numbers in parentheses are Hammond valve equivalents.

Valve Fig. #	Size Range	Description	Design Standard	Made By			
BALL VALVES							
30CS/SS	1/4" - 2"	Ball, 1000 WOG, Exposed Bolt, Full Port, 2 pc, Socket Weld Ends	MSS SP-110	Milwaukee Tonglu Valve Company			
35 Series	1/4' - 2"	Ball, 2000 WOG, Enclosed Bolt, Standard Port, 3 pc, Socket Weld Ends	ANSI B16.34, API 607, MSS SP-110	(MTV)			

	CAST STEEL GATES, GLOBES, CHECKS								
1550	2" - 12"	Gate, Class 150, Cast Steel, Flanged	MAWP: 285 psig	API 600, ASME B16.34					
1550	14" - 24"	Gate, Class 150, Cast Steel, Flanged		API 600, ASME B16.34					
1560	2" - 8"	Globe, Class 150, Cast Steel, Flanged		API 623, ASME B16.34					
1570	2" - 12"	Swing Check, Class 150, Cast Steel, Flanged		API 594, ASME B16.34	CNNC SUFA Technology Industry				
3050	2" - 12"	Gate, Class 300, Cast Steel, Flanged	MAWP: 740 psig	API 600, ASME B16.34	Co., Ltd				
3050	14" - 24"	Gate, Class 300, Cast Steel, Flanged		API 600, ASME B16.34					
3060	2" - 8"	Globe, Class 300, Cast Steel, Flanged		API 623, ASME B16.34					
3070	2" - 12"	Swing Check, Class 300, Cast Steel, Flanged		API 594, ASME B16.34					

Manufacturer/Plant List

Please use this Contact for all Manufacturers Listed below Contact Name: Alex Relias

E-mail: arelias@milwaukeevalve.com

Telephone: 608-643-1671

Company Name: Milwaukee Valve Company

Address: 16550 West Stratton Drive

City/Town: New Berlin Province/State: Wisconsin Postal/Zip Code: 53151

Country: USA

Company Name: Milwaukee Valve Company

Abbreviation: MVC

Address: 1075 Water St. City/Town: Prairie Du Sac Province/State: Wisconsin Postal/Zip Code: 53578

Country: USA

Company Name: Milwaukee (Tonglu) Valve Company

Abbreviation: MTV

Address: 117 Yangshou Road

City/Town: Tonglu

Province/State: Zhejiang Postal/Zip Code: 311501

Country: China

Company Name: CNNC SUFA Technology Industry Company

Abbreviation: SUFA

Address: 501 Zhujiang Road

City/Town: Suzhou

Province/State: Jiangsu Postal/Zip Code: 215129

Country: China

THIS IS PART OF CRN 0C19355.5ADD1

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program